



Los documentos del LOM son emitidos con firma digital para asegurar la autenticidad del firmante. Es posible comprobar su validez haciendo clic sobre la firma.
LOM documents are issued with digital signature to ensure the authenticity of the signer. It is possible to check its validity clicking on the signature

- 1.- **SUPPLEMENT OF CUSTODY OF TECHNICAL FILE**
- 2.- Equipment intended for use in potentially explosive atmospheres. Directive 94/9/EC.
- 3.- Supplement nº 11 of the Custody of Technical File **LOM 07ATEX0063**
- 4.- Reference: LOM 13.525 F
- 5.- Equipment: Pneumatic rotary actuators Prisma, families PA, PAG, PG and KA, models:
PA00-PA05-PA10-PA15-PA20-PA25-PA30-PAW-PAWC-PAV-PA00S-PA05S-PA10S-PA15S-PA20S-PA25S-PA30S-PAWS-PAVS-PAG00-PAG10-PAG20-PAG30-PAGW-PAGWC-PAG00S-PAG10S-PAG20S-PAG30S-PAGWS.
90°: A1 (PAV), A1S (PAVS), A2 (PAWC), A2S (PAWS), A3 (PA00), A3C (PA00S), A3O (PA00S), A4 (PA05), A4C (PA05S), A4O (PA05S).
180°: PAGWC, PAGW, A2T, PAGWS, A2TS, PAG00, A3TC, PAGOOS, A3TO
Group II Category 2DG c IP 67 T6.
- 6.- Solicitante: MECANICA PRISMA, S.L.
- 7.- Dirección: C/ El Telegraf, s/n – 08160 Montmeló (Barcelona).
- 8.- This equipment is specified in a technical file of the manufacturer codified as Technical File “PRISMA Rev. 0” and updated in the technical supplement encoded as “PRISMA Rev. 0 Fecha 03 09 2013”.
- 9.- The manufacturer or his authorised representative established in the European Union are responsible that the equipment or material for which this custody is requested complies with Article 8.1 (b) (ii) of the Directive 94/9/EC.
- 10.- Laboratorio Oficial J.M. Madariaga (LOM), Notified Body No. 0163 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, **CERTIFIES** that:
- On 2013-10-14 it has received and has put under custody the Technical File “PRISMA Rev. 0. Fecha 03 09 2013”, referred to in Article 8.1 (b) (ii) of the ATEX Directive 94/9/EC.
- This Technical File shall be kept in custody until 2027-07-02

Getafe, October 17th, 2013

Natalia Vázquez Viñuela
LOM COORDINATION

RPCER 20.1/2

